

## Declaration of performance

No.

OSTYLE-ALUVA\1230x1480\02000ET21\3\001

1. Ident. code of product type **OSTYLE-ALUVA\1230x1480\02000ET21\3**
2. Identification number *In accordance with the number of the seal located on the window*  
**4791831001**
3. Intended use **Window dedicated for use in residential and public buildings**
4. Producer / Importer **Sokółka Okna i Drzwi Produkcja S.A.**  
**ul. Lotników Lewoniewskich 1**  
**16-100 Sokółka**
5. Representative -
6. System of assessment and verification of the performance **3**
7. Harmonized norm **EN 14351-1:2006+A1:2010**  
*Instytut Techniki Budowlanej (ITB) Warszawa (NB1488) - preliminary survey was conducted type (ITT) in system 3, in terms of point(s) 9.1-9.8 and classification report was prepared*
8. Body of technical assessment -
9. Declared performances:

Properties	Performances	Harmonized technical specifications	
9.1. Wind resistance	Class C4	4.2	EN 14351-1:2006+A1:2010
9.2. Water tightness	Class 9A	4.5	EN 14351-1:2006+A1:2010
9.3. Dangerous substances	NPD*	4.6	EN 14351-1:2006+A1:2010
9.4. Load bearing capacity of safety devices	pass	4.8	EN 14351-1:2006+A1:2010
9.5. Operating forces	1	4.16	EN 14351-1:2006+A1:2010
9.6. Acoustic	NPD*	4.11	EN 14351-1:2006+A1:2010
9.7. U value	1,30	4.12	EN 14351-1:2006+A1:2010
9.8. Solar radiation properties: - Solar energy transmittance factor - Light transmittance factor	0,63 0,80	4.13	EN 14351-1:2006+A1:2010
9.9. Air permability	Class 4	4.14	EN 14351-1:2006+A1:2010

\* no performance determined

10. Performance of the product referred to in points 1 and 2 are consistent with the declared in point 9.

This declaration of performance is issued under the responsibility of the producer referred to in point 4.

On behalf of the producer / importer:

**Christian Petersen**

Board President  
Managing Director



Sokółka, 16.09.2021

02000ET21

Poz. 003

Szt. 001



**Sokółka Okna i Drzwi  
Produkcja S.A.**  
**ul. Lotników Lewoniewskich 1**  
**16-100 Sokółka**

21

OSTYLE-ALUVA\1230x1480\02000E  
T21\3



4791831001

**EN 14351-1:2006+A1:2010**

*Window dedicated  
for use in residential  
and public buildings*

*Wind resistance* **Class C4**

*Water tightness* **Class 9A**

*Dangerous substances* **NPD\***

*Load bearing capacity of safety devices* **pass**

*Operating forces* **1**

*Acoustic* **NPD\***

*U value* **1,30**

*Solar energy transmittance factor* **0,63**

*Light transmittance factor* **0,80**

*Air permability* **Class 4**

\* no performance determined

## Declaration of performance

No.

OTHERM-AL\A\1230x1480\02000ET21\7\001

1. Ident. code of product type **OTHERM-AL\A\1230x1480\02000ET21\7**
2. Identification number *In accordance with the number of the seal located on the window*  
**4791871001**
3. Intended use **Window dedicated for use in residential and public buildings**
4. Producer / Importer **Sokółka Okna i Drzwi Produkcja S.A.**  
**ul. Lotników Lewoniewskich 1**  
**16-100 Sokółka**
5. Representative -
6. System of assessment and verification of the performance **3**
7. Harmonized norm **EN 14351-1:2006+A1:2010**  
*Instytut Techniki Budowlanej (ITB) Warszawa (NB1488) - preliminary survey was conducted type (ITT) in system 3, in terms of point(s) 9.1-9.8 and classification report was prepared*
8. Body of technical assessment -
9. Declared performances:

Properties	Performances	Harmonized technical specifications	
9.1. Wind resistance	Class C4	4.2	EN 14351-1:2006+A1:2010
9.2. Water tightness	Class 9A	4.5	EN 14351-1:2006+A1:2010
9.3. Dangerous substances	NPD*	4.6	EN 14351-1:2006+A1:2010
9.4. Load bearing capacity of safety devices	pass	4.8	EN 14351-1:2006+A1:2010
9.5. Operating forces	1	4.16	EN 14351-1:2006+A1:2010
9.6. Acoustic	NPD*	4.11	EN 14351-1:2006+A1:2010
9.7. U value	1,24	4.12	EN 14351-1:2006+A1:2010
9.8. Solar radiation properties: - Solar energy transmittance factor - Light transmittance factor	0,63 0,80	4.13	EN 14351-1:2006+A1:2010
9.9. Air permability	Class 4	4.14	EN 14351-1:2006+A1:2010

\* no performance determined

10. Performance of the product referred to in points 1 and 2 are consistent with the declared in point 9.

This declaration of performance is issued under the responsibility of the producer referred to in point 4.

On behalf of the producer / importer:

**Christian Petersen**

Board President  
Managing Director



Sokółka, 16.09.2021

02000ET21

Poz. 007

Szt. 001

<b>Sokółka Okna i Drzwi Produkcja S.A. ul. Lotników Lewoniewskich 1 16-100 Sokółka</b>	
<b>21</b>	
<b>OTHERM-AL\A\1230x1480\02000ET 21\7</b>	
<b>4791871001</b>	
<b>EN 14351-1:2006+A1:2010</b>	
<i>Window dedicated for use in residential and public buildings</i>	
<i>Wind resistance</i>	<b>Class C4</b>
<i>Water tightness</i>	<b>Class 9A</b>
<i>Dangerous substances</i>	<b>NPD*</b>
<i>Load bearing capacity of safety devices</i>	<b>pass</b>
<i>Operating forces</i>	<b>1</b>
<i>Acoustic</i>	<b>NPD*</b>
<i>U value</i>	<b>1,24</b>
<i>Solar energy transmittance factor</i>	<b>0,63</b>
<i>Light transmittance factor</i>	<b>0,80</b>
<i>Air permability</i>	<b>Class 4</b>
<i>* no performance determined</i>	

## Declaration of performance

No.

OTHERM-AL\A\1230x1480\02000ET21\8\001

1. Ident. code of product type    **OTHERM-AL\A\1230x1480\02000ET21\8**
2. Identification number        *In accordance with the number of the seal located on the window*  
**4791881001**
3. Intended use                    **Window dedicated for use in residential and public buildings**
4. Producer / Importer           **Sokółka Okna i Drzwi Produkcja S.A.**  
**ul. Lotników Lewoniewskich 1**  
**16-100 Sokółka**
5. Representative                 -
6. System of assessment and verification of the performance    **3**
7. Harmonized norm             **EN 14351-1:2006+A1:2010**  
*Instytut Techniki Budowlanej (ITB) Warszawa (NB1488) - preliminary survey was conducted type (ITT) in system 3, in terms of point(s) 9.1-9.8 and classification report was prepared*
8. Body of technical assessment    -
9. Declared performances:

Properties	Performances	Harmonized technical specifications	
9.1. Wind resistance	Class C4	4.2	EN 14351-1:2006+A1:2010
9.2. Water tightness	Class 9A	4.5	EN 14351-1:2006+A1:2010
9.3. Dangerous substances	NPD*	4.6	EN 14351-1:2006+A1:2010
9.4. Load bearing capacity of safety devices	pass	4.8	EN 14351-1:2006+A1:2010
9.5. Operating forces	1	4.16	EN 14351-1:2006+A1:2010
9.6. Acoustic	NPD*	4.11	EN 14351-1:2006+A1:2010
9.7. U value	0,90	4.12	EN 14351-1:2006+A1:2010
9.8. Solar radiation properties: - Solar energy transmittance factor - Light transmittance factor	0,50 0,71	4.13	EN 14351-1:2006+A1:2010
9.9. Air permability	Class 4	4.14	EN 14351-1:2006+A1:2010

\* no performance determined

10. Performance of the product referred to in points 1 and 2 are consistent with the declared in point 9.

This declaration of performance is issued under the responsibility of the producer referred to in point 4.

On behalf of the producer / importer:



**Christian Petersen**

Board President  
Managing Director



Sokółka, 16.09.2021

02000ET21

Poz. 008

Szt. 001



**Sokółka Okna i Drzwi  
Produkcja S.A.  
ul. Lotników Lewoniewskich 1  
16-100 Sokółka**

**21**

**OTHERM-AL\A\1230x1480\02000ET  
21\8**



4791881001

**EN 14351-1:2006+A1:2010**

*Window dedicated  
for use in residential  
and public buildings*

*Wind resistance* **Class C4**

*Water tightness* **Class 9A**

*Dangerous substances* **NPD\***

*Load bearing capacity of safety devices* **pass**

*Operating forces* **1**

*Acoustic* **NPD\***

*U value* **0,90**

*Solar energy transmittance factor* **0,50**

*Light transmittance factor* **0,71**

*Air permability* **Class 4**

\* no performance determined

## Declaration of performance

No.

OELITE-ALUVA\1230x1480\02000ET21\10\001

1. Ident. code of product type **OELITE-ALUVA\1230x1480\02000ET21\10**
2. Identification number *In accordance with the number of the seal located on the window*  
**4791901001**
3. Intended use **Window dedicated for use in residential and public buildings**
4. Producer / Importer **Sokółka Okna i Drzwi Produkcja S.A.**  
**ul. Lotników Lewoniewskich 1**  
**16-100 Sokółka**
5. Representative -
6. System of assessment and verification of the performance **3**
7. Harmonized norm **EN 14351-1:2006+A1:2010**  
*Instytut Techniki Budowlanej (ITB) Warszawa (NB1488) - preliminary survey was conducted type (ITT) in system 3, in terms of point(s) 9.1-9.8 and classification report was prepared*
8. Body of technical assessment -
9. Declared performances:

Properties	Performances	Harmonized technical specifications	
9.1. Wind resistance	Class C4	4.2	EN 14351-1:2006+A1:2010
9.2. Water tightness	Class 9A	4.5	EN 14351-1:2006+A1:2010
9.3. Dangerous substances	NPD*	4.6	EN 14351-1:2006+A1:2010
9.4. Load bearing capacity of safety devices	pass	4.8	EN 14351-1:2006+A1:2010
9.5. Operating forces	1	4.16	EN 14351-1:2006+A1:2010
9.6. Acoustic	NPD*	4.11	EN 14351-1:2006+A1:2010
9.7. U value	0,80	4.12	EN 14351-1:2006+A1:2010
9.8. Solar radiation properties: - Solar energy transmittance factor - Light transmittance factor	0,50 0,71	4.13	EN 14351-1:2006+A1:2010
9.9. Air permability	Class 4	4.14	EN 14351-1:2006+A1:2010

\* no performance determined

10. Performance of the product referred to in points 1 and 2 are consistent with the declared in point 9.

This declaration of performance is issued under the responsibility of the producer referred to in point 4.

On behalf of the producer / importer:

**Christian Petersen**

Board President  
Managing Director



Sokółka, 16.09.2021

02000ET21

Poz. 010

Szt. 001



**Sokółka Okna i Drzwi  
Produkcja S.A.**  
**ul. Lotników Lewoniewskich 1**  
**16-100 Sokółka**

**21**

**OELITE-ALUVA\1230x1480\02000ET  
21\10**



4791901001

**EN 14351-1:2006+A1:2010**

*Window dedicated  
for use in residential  
and public buildings*

*Wind resistance* **Class C4**

*Water tightness* **Class 9A**

*Dangerous substances* **NPD\***

*Load bearing capacity of safety devices* **pass**

*Operating forces* **1**

*Acoustic* **NPD\***

*U value* **0,80**

*Solar energy transmittance factor* **0,50**

*Light transmittance factor* **0,71**

*Air permability* **Class 4**

\* no performance determined